VMware vSphere® Version Comparison

	VMWARE vSPHERE* VERSION			
KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8
DEVOPS SERVICES				
Application focused management			~	\checkmark
VMware Tanzu® Kubernetes Grid™ Service for vSphere			\checkmark	\checkmark
vSphere Pod Service			Requires NSX-T currently	Requires NSX-T currently
Storage Service			~	~
Network Service			~	~
Container Registry Service			\checkmark	~
VM Registry service			~	~
Network Load Balancing			NSX Advanced Load Balancer Essentials included	NSX Advanced Load Balancer Essentials included
VM Service			~	~
VM Service support for GPU			~	~
GPU accelerated VMware Tanzu® Kubernetes Grid™ cluster			\checkmark	\checkmark
Cloud Consumption Interface				~
Local Consumption Interface (LCI)				\checkmark
Workload Availability Zones				~
Simplified TKG cluster lifecycle management				\checkmark
TKG cluster package management				~
Independent TKG Service				\checkmark
Customizable base OS images				~
Authentication through Pinniped				~
Supervisor support on vSAN stretched clusters				~
VM Service: Expanded VM Class configuration				~
VM Service: Backup and restore service				~
Kubernetes clusters autoscaling				\checkmark



KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8		
VM MOBILITY AND MANAGEMENT						
vSphere vMotion®	\checkmark	~	\checkmark	~		
vSphere Storage vMotion®	\checkmark	~	\checkmark	~		
Content library	\checkmark	~	~	~		
Cross-vSwitch vMotion	\checkmark	~	~	~		
Cross-vCenter [®] vMotion ¹	\checkmark	~	~	~		
Long-distance vMotion	~	~	~	~		
Cross-cloud vMotion/ hot migration ²	~	~	\checkmark	~		
Cross-vCenter mixed- version vMotion ²	~	~	~	~		
Cross-cloud cold migration ²	~	~	~	~		
Per-virtual machine (VM) enhanced vMotion compatibility		~	~	~		
vMotion for Multi-Instance GPUs (MIG)			~	~		
vMotion on Intel® Scalable I/O Virtualization devices (SIOV)				~		
RESOURCE MANAGEMENT						
vSphere Distributed Resource Scheduler™ (DRS) – for compute and memory	~	~	~	~		
vSphere Storage DRS™	\checkmark	\checkmark	~	~		
vSphere Storage I/O Control	\checkmark	~	~	~		
vSphere Network I/O Control	\checkmark	~	~	~		
Network-aware DRS		~	~	~		
Assignable hardware support for vGPU and vSphere DirectPath I/O™ initial placement			~	~		
Initial workload placement for Multi-Instance GPUs (MIG)			~	~		
DRS support for vSphere Memory Monitoring and Remediation (vMMR)				~		
DRS automation for vGPU workloads				~		
Vendor Device Groups				~		



VMware vSphere® Version Comparison

KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8		
AVAILABILITY						
Fault tolerance	4 vCPU	8 vCPU	8 vCPU	8 vCPU		
vSphere Replication™	~	~	~	~		
High availability (HA) VM component protection	~	~	~	~		
Orchestrated HA restart	~	~	~	~		
Proactive HA	~	~	\checkmark	~		
vCenter Server* HA1	~	~	~	~		
vSphere HA for PMEM workloads			\checkmark	~		
Workload Availability Zones				~		
STORAGE						
vSphere Virtual Volumes™	\checkmark	~	\checkmark	~		
Storage policy-based management	~	~	~	~		
NFS 4.1 support	~	~	\checkmark	~		
Automated UNMAP	~	~	~	~		
Support for 4K native storage		~	\checkmark	~		



VMware vSphere® Version Comparison

KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8
SECURITY				
Multifactor authentication	~	~	~	\checkmark
vSphere security hardening and compliance	~	~	~	\checkmark
VM encryption	~	~	~	~
Secure boot	~	~	~	~
Audit quality logging	~	~	~	~
Cross-vCenter encrypted vMotion		~	~	~
Support for TPM 2.0		~	~	~
Virtual TPM 2.0		~	~	~
Support for Microsoft virtualization-based security (VBS), including Credential Guard		~	\checkmark	~
FIPS 140-2 validated		~	~	~
vSphere Trust Authority™			~	~
Identity federation with Active Directory Federation Services (ADFS)			~	~
Identity federation with Microsoft Entra ID (formerly Azure AD), Okta, and PingFederate				~
vSphere Native Key Provider			~	~
Confidential containers with AMD SEV-ES			\checkmark	~
Simplified NSX security setup from vSphere Client ³			\checkmark	\checkmark
TLS 1.3 and Customizable Cipher Suites ⁴				\checkmark
vSAN security hardening and compliance				~



KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8		
ENHANCED PERFORMANCE AND APPLICATION SUPPORT						
VMware Instant Clone	~	~	\checkmark	~		
NVIDIA vGPU	~	~	\checkmark	~		
vSphere Integrated OpenStack	~	~	~	~		
vMotion support for NVIDIA vGPU		~	~	~		
vSphere Persistent Memory™		~	~	~		
Support for memory mapping for 1GB page sizes		~	~	~		
Support for RoCE v2		~	~	~		
iSCSI extension for RDMA (iSER)		~	~	~		
Support for RDMA InfiniBand		~	\checkmark	~		
Support for NVIDIA AI-Ready Enterprise Platform			~	\checkmark		
NVIDIA Multi-Instance GPU (MIG)			\checkmark	~		
vMotion for Multi-Instance GPUs (MIG)			~	\checkmark		
DirectPath I/O support for up to 32 devices in Passthrough				~		
Increase the number of vGPUs from 4 to 8 per VM				~		
vSphere on DPUs (VMware vSphere® Distributed Services Engine™)				~		
Support for NVIDIA NVSwitch and NVLink				~		
Heterogeneous vGPU profiles on the same GPU				~		
Dual DPU support with DSE				~		



VMware vSphere® Version Comparison

KEY FEATURES/ CAPABILITIES	6.5	6.7	7	8		
ADMINISTRATION						
Enhanced Linked Mode	~	~	\checkmark	~		
vCenter Server Hybrid Linked Mode ⁵	~	~	~	~		
vCenter Server backup and restore ⁶	\checkmark	\checkmark	\checkmark	~		
REST-based APIs for vCenter Server management	\checkmark	\checkmark	\checkmark	\checkmark		
Enhanced Linked Mode for vCenter Server Appliance with Embedded Platform Services Controller™	✓ ⁵	~	\checkmark	~		
Single reboot upgrades		\checkmark	\checkmark	\checkmark		
vSphere Quick Boot™		~	\checkmark	~		
vCenter Server Appliance backup with built-in scheduler and retention ⁶		~	~	\checkmark		
vSphere Lifecycle Manager™			\checkmark	\checkmark		
vCenter Server update planner			\checkmark	\checkmark		
vCenter Server profiles			\checkmark	~		
Desired image seeding			~	\checkmark		
ESXi suspend-to-memory			\checkmark	~		
vSphere Lifecycle Manager enhancements (pre-stage ESXi images)				~		
ESXi Live Patching				\checkmark		
Enhanced Image Customization				\checkmark		
Green Metrics				~		
Configuration Profiles™				~		

1. Compatible with vSphere 6.0, U1, U2 and U3 for vMotion between same versions. Backwards compatible with vSphere 6.0 U3+ and vSphere 6.5 U1+.

2. vSphere Bitfusion is available through a new add-on for all Enterprise plus customers. Visit the vSphere pricing and packaging whitepaper for more details about the add-on for vSphere Bitfusion.

3. Requires NSX-T version 3.2 or later

- 4. For more information about the use of TLS 1.3 with FIPS 140-3 requirements consult the product documentation.
- 5. Backwards compatible with vSphere 6.0 U3+ on-premises and with vSphere 6.5 on premises. Compatible with vSphere 6.5 U2+ on-premises.

6. For vCenter Server Appliance only.



Copyright © 2024 Broadcom. All rights reserved.

The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries. For more information, go to www.broadcom.com. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies. Broadcom reserves the right to make changes without further notice to any products or data herein to improve reliability, function, or design. Information furnished by Broadcom is believed to be accurate and reliable. However, Broadcom does not assume any liability arising out of the application or use of any product or circuit described herein, neither does it convey any license under its patent rights nor the rights of others. Item No: VMware vSphere Version Comparison V3 7/24